








MARQUIS® WATER PUMP
P0069

MHF/5AM S/N

Q 100 — 500 l/min H 22 — 10 m

Q max 600 l/min Hmax 22.5 m

1-Mot 220-240V 50 Hz 2850 min⁻¹

P_m 1.5 kW 2 HP I_n 9.5 A P_{max} 2100 W

C 40 µF VL 450 V I. CL B IP 44



continuous
duty



thermally
protected

LUCKY PRO®

WATER PUMP

WKP60-1 n. 19020819

Q 5-40 l/min H 40 ± 5.5 m

⊙ H.max 40 m · Q max 40 l/min ⊙

● Mot/V. 220-240 Hz 50 2900 min⁻¹

kW 0.37 HP 0.5 In 2.5 A 550 W max

C: μF · WL 450 V ICL 3 · IP 44



continuous
duty

thermally
protected

г. Ереван
Республика Армения
п/к "Мекусич"

Котел водогрейный

А/А 250

Заводской №

61

Мощность котла

250

кВт

Рабочее давление

4

бар

Масса

790

кг

Год изготовления

2005



г. Ереван
Республика Армения
п/к "Мекусич"

Котел водяной Гост 1719-280

Заводской № 57

Производит 0.35 г кал/час


Масса 780 кг

Год изготовления 2004

BT Quality Products 			
BHm/5AM	n.		
Qmax 600 l/min		Hmax 22.5 m	
Suct. Hmax 8 m		Size 2"X2"	
1-Mot V220-240~		Hz 50	2900min ⁻¹
kW 1.5	HP 2	In 11 A	IP 44
C 40 µF	VL450V	I CL B	
Continuous duty		Thermally protected	











Blue
Quality Products
CE

Model No.	100
Rated Power (kW)	0.75
Rated Voltage (V)	230
Rated Current (A)	3.5
Rated Speed (rpm)	1440
Efficiency (%)	75
Power Factor	0.85
Service Factor	1.0
Insulation Class	F
Protection Class	IP54
Weight (kg)	1.5

г. Ереван
Республика Армения
п/к "Мекусич"

Котел водогрейный

А/А 250

Заводской №

61

Мощность котла

250

кВт

Рабочее давление

4

бар

Масса

790

кг

Год изготовления

2005